

INVERTER GENERATORS

KGG20i

4-Stroke gasoline engine | Inverter technology | 230V output | Low fuel consumption | Portable silent design

Compact inverter generator engineered to provide stable and quiet power for mobile work, camping, technical support, outdoor applications and light professional use. The KGG20i combines portability, low power consumption, and advanced electronic protection to safely power sensitive equipment.


Control & Protection

- Multifunction digital display
- Quick parameter monitoring
- Overload protection
- Electronic inverter regulation
- Stable output for sensitive electronics
- Low oil alarm system
- Safe and efficient operation
- Reliable manual start system



Design & Mobility

- Compact suitcase-style design
- Integrated carrying handle
- Lightweight 18kg structure
- Reinforced protective housing
- Built for professional mobility
- Easy storage and transport
- Rugged outdoor-ready construction



Professional Performance


- GK80i 4-stroke gasoline engine
- **1.8kW rated power**
- **2.0kW maximum output**
- 79cc displacement
- Stable inverter-generated current
- Ideal for light tools and electronics
- Low vibration operation
- Optimized fuel efficiency
- 5L fuel tank
- Up to **7.5h autonomy** at 50% load
- Quiet operation at only **58dB**

Technology & Efficiency

- High-stability **inverter technology**
- Clean energy for sensitive devices
- **Fuel-efficient** performance
- Reduced noise emissions
- Optimized operating efficiency
- **Excellent power-to-consumption ratio**


Maintenance & Accessibility

- Easy service access
- Automatic oil warning system
- Simplified maintenance
- Practical design for frequent use
- Ideal for mobile operations and field service



460 mm

480 mm



320 mm

KGG20i

INVERTER GENERATOR



MODEL	KGG20i
RATED POWER	1,8 kW
MAX POWER	2,0 kW
VOLTAGE	230 V
FREQUENCY	50 Hz
RATED CURRENT	7,8 A
MAX CURRENT	8,7 A
AC OUTPUTS	2x16A
DIGITAL DISPLAY	3 in 1
TANK CAPACITY	5 L
50% LOAD AUTONOMY	7,5 h
SOUND PRESSURE AT 7m	58 dBA
SOUND POWER	95 dB
STARTING SYSTEM	Manual
ENGINE	GK80i
ENGINE POWER	3 hp
DISPLACEMENT	79 cc
OIL CAPACITY	0,35 L
OIL ALARM	Yes
POWER FACTOR	1
VOLTAGE REGULATION	Inverter Board
LOGISTICS	
NET WEIGHT	18 kg
GROSS WEIGHT	20,5 kg
PRODUCT DIMENSIONS	480x320x460 mm
PACKAGE DIMENSIONS	515x335x515
EAN	8435672797378

18
kg

