

MCS



DC 61 | HYBRID REVOLUTION



THE FIRST AND ONLY ONE ON THE MARKET



THE MOST ADVANCED TECHNOLOGY PROVEN EFFECTIVENESS
NEW FIELDS OF APPLICATION
17 KW HEATING POWER






OVER 4 HOURS RUN-TIME





AVOID OVERHEATING AND OVERSPENDING



| SPECIFICATIONS | | DC 61 |
|------------------------------|--------|-------------------|
| | kW | 17 |
| Heating power | Btu/h | 58.000 |
| | kcal/h | 14.600 |
| Fuel consumption | kg/h | 1,35 |
| Fuel autonomy | h | 7 |
| Thermostat control | | analog or digital |
| Electric power | kW | 0,2 |
| Power supply | V | 220-240* |
| Frequency | Hz | 50 |
| Rated current | Α | 1 |
| Tank capacity | l | 11 |
| Product size ($l x w x h$) | mm | 560 x 345 x 575 |
| Box size (l x w x h) | mm | 600 x 380 x 580 |
| Net/gross weight | kg | 19/21 |
| Pallet | pcs | 16 |
| * 110 V available | | |

















INNOVATIVE LIGHT AND EASY TO MOVE POWERFUL MULTIFUNCTIONAL

ACCESSORIES









6Ah Master lithium battery pack: 4 hours run-time. More than 1000 recharges.

Master battery pack charger

Analog thermostat TH5 with cable (3 m or 10 m)



Digital thermostat THD with 5 m cable













